Aianna

THE NEW ERA OF COMMUNICATIONS

Aianna Corp.

Your Voice around the world

Equipment List

The new era of Communications

Aianna always try to offer the best pricing available

www.aianna.com

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

IP Phones

Aianna Corp.

Polycom Sound-Point IP 601

Features
6 lines
Built-in POE
Large, content-rich 320 x 160 display
Expanded Flash memory
4 context-sensitive soft keys
Multiple call appearances
Field upgradeable
Message alert indicator
Full duplex speakerphone
Freedom to choose multiple protocols and platforms.

Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

IP Phones

Polycom Sound-Station IP 4000

Features
Full-duplex conference phone, two-way conversations.
Reduces echo and background noise.
248 x 68 pixel resolution LCD.
Your Price: Ask for Pricing

Polycom Sound-Point IP 501

With PoE Features
3 Lines Dual Ethernet ports
Large, content-rich 160 x 80 display
Expanded Flash memory 4 context-sensitive soft keys
Multiple call appearances
Field upgradeable
Message alert indicator
Full duplex speakerphone
Freedom to choose multiple protocols and platforms.

Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

IP Phones

Polycom Sound-Point IP 501

Features
3 Lines Dual Ethernet ports
Large, content-rich 160 x 80 display
Expanded Flash memory 4 context-sensitive soft keys
Multiple call appearances
Field upgradeable
Message alert indicator
Full duplex speakerphone
Freedom to choose multiple protocols and platforms.
Your Price: Ask for Pricing

Polycom Sound-Point IP 301

with PoE Features
2 lines
4 line x 20 character LCD
Expanded Flash memory
Dual port 10/100 Ethernet switch
Flexible powering options
Standards based
Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

IP Phones

Polycom Sound-Point IP 301

Features
2 lines
4 line x 20 character LCD
Expanded Flash memory
Dual port 10/100 Ethernet switch
Flexible powering options
Standards based
Your Price: Ask for Pricing

Linksys – Cisco WIP330

Stylish, Full-Featured Mobile WiFi Phone for VoIP Service
Make Low-Cost High Quality VoIP Calls From Wireless Hotspots
Easy Set-Up on WiFi Network
Superior Range and Performance with 802.11g
Intuitive User Interface, Windows CE, Internet navigation enable.
Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

PRODUCTS

IP Phones

Linksys – Cisco WIP300

Make Low-Cost High Quality VoIP Calls from your Wireless-G Network. Easy, secure setup on WiFi Network with SES. Superior Range and Performance with 802.11g. Intuitive User Interface
Your Price: Ask for Pricing

Linksys – Cisco SPA-922

Full featured one-line business class IP Phone supporting Power over Ethernet 802.3af
Connect directly to an Internet Telephone Service Provider or connect to an IP PBX
Dual switched Ethernet ports, Speakerphone, Caller ID, Call Hold, Conferencing, and more
Easy installation and secure remote provisioning. Menu based and web based configuration.
Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

IP Phones

Linksys – Cisco SPA-921

Full featured one-line business class IP, that connects directly to an Internet Telephone Service Provider or connect to an IP PBX. It has Speaker Phone, Caller ID, Call Hold, Transfer, Conferencing, and more. It comes with easy installation and secure remote provisioning with menu and web based configuration.
Your Price: Ask for Pricing

Linksys – Cisco SPA-901

Small, affordable, single line business class IP Phone that connects directly to an Internet telephone service provider or connects to an IP PBX wall mount or table top phone. It comes with easy installation and secure remote provisioning. Menu based and web based configuration.
Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

IP Phones

Sipura – Linksys SPA-841

Sipura Residential Phone Basic SIP Phone

The Sipura SPA-841 IP telephone can be configured as a two (2) line or, via a simple software upgrade, a four (4) line full featured business phone with pixel based graphical display, speakerphone and headset port. Stylish and functional in design, the SPA-841 can be used in residential, SOHO, enterprise, and small to medium business service offerings including IP PBX, hosted IP telephony and IP Centrex. The SPA-841 leverages Sipura's market leading technology and manufacturing proficiency to deliver an upgradeable, high quality IP telephone unparalleled in value and support. Price: Ask for Pricing

Linksys – Cisco SPA-942

2 Line SMB / SOHO IP phone

2 Port Ethernet Switch POE (Power over Ethernet - IEEE 802.3af)

(Field Upgradeable with License key to 4 lines.)

Power supply (PA100-NA) does not ship with the regular SPA942-NA but is included in this early access program.

Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

IP Phones

Linksys – Cisco SPA-941

2 Line SMB / SOHO IP phone
(Field Upgradeable with License key to 4 lines.)
Fully featured business phone with pixel based graphical display, speakerphone and headset port. Stylish and functional in design, the SPA-941 ideal for residential, SOHO, enterprise and small to medium business service offerings including IP PBX, hosted IP telephony and IP Centrex. RJ45 LAN, G.711, G.729, SIP
Your Price: Ask for Pricing

Snom 360 IP Phone

Multilane IP Business Phone 12 Programmable Line appearances/Function keys with LCD 2 x RJ45 Ethernet Switch with IEEE 802.3af POE support Full duplex speaker phone Robust Business phone with a large display, ergonomic handset, headset connector. Very user friendly design and intuitive usage due to single key operation for most used functions and menu guided soft keys for less used features.
Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

IP Phones

Snom 320 IP Phone

Business phone with built-in, full duplex speakerphone and three-party conference bridging.
Feature rich, easy to use but sophisticated looking Business IP phone. We believe this VoIP phone has the most robust SIP implementation on the market and includes features most other phones do not have. Security, line appearance display, ENUM, Power over Ethernet, 2 Port switch, Headset Connector and much more.
Your Price: Ask for Pricing

Snom 300 IP Phone

Business phone with built-in, full duplex speakerphone and three-party conference bridging.
Feature rich, easy to use but sophisticated looking Business IP phone. We believe this VoIP phone has the most robust SIP implementation on the market and includes features most other phones do not have. Security, line appearance display, ENUM, Power over Ethernet, 2 Port switch, Headset Connector and much more.
Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

Analog Adapters (ATAs)

Sipura – Linksys 1001

SIPURA Technology's Single Line FXS Gateway
Your Price: Ask for Pricing

Sipura – Linksys 2002

SIPURA 2 Ports FXS Analog Telephone Adapter, 1 Ethernet Port LAN
Your Price: Ask for Pricing

Sipura – Linksys 2102

SIPURA TECHNOLOGYs2 FXSs1 RJ45 WAN 1 RJ45 LAN
Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

Analog Adapters (ATAs)



Sipura – Linksys 3000

SIPURA TECHNOLOGYs1 FXSs1 FXO 1 RJ45
Your Price: Ask for Pricing

Mediatrix 2102-S

Mediatrix - 2 port access device, SIP protocol. G.723, G.729, G.711 IP Sharing and T38 Fax - Basic Unit
The Mediatrix® 2102 features voice prioritization over data and innovative IP technology to connect up to two residential phones or fax machines and a PC directly to a broadband modem - without the need for an external router. The Mediatrix 2102 VoIP access device is equipped with two FXS ports, a PSTN bypass port and two 10/100 T-Base Ethernet ports and is the ideal platform for service providers looking to deploy cost-effective residential IP telephony. (Basic unit does not includes FXO Backup port.)
Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

Analog Adapters (ATAs)



AudioCode Media Pack MP-102 FXS SIP

Analog Media Gateway

Gateway is based on AudioCode' field-proven and best-of-breed VoIP technology. Compliant with the SIP protocol, the Analog Media Gateway enables flexible deployment and interoperability for the evolving next generation networks. Featuring 2 analog ports, the gateway connect analog terminals, PBXs or key systems to the IP network using FXS connectivity. AudioCode MP102 Media Pack Analog Media Gateway Features Supports PSTN/PBX analog telephone sets or analog trunk lines Selectable, multiple LBR coders per channel Internal power supply T.38 Compliant Echo canceller, Jitter Buffer, VAD, and CNG Complies with MGCP, MEGACO, H.323 (v.4), and SIP control protocols Web Management for easy configuration and installation Perfect for Numerous Applications: Enterprise access for IP Centrex for hosted services Multi Tenant Unit Pots and fax extensions for IP-PBX Voice VPN VoIP-enabled PBX Unified messaging and recording

Your Price: Ask for Pricing

Various models available from 2, 4 8 and 24 ports as well as E1, T1 . Ask for prices

Mediatrix 1102 – 2 FXS

2 Port FXS Gateway/ Access Device IP Connectivity for Analog phones. The Mediatrix 1102 can be deployed as a desktop installation to protect customer investment in existing analog devices phones/faxes) - one of the most expensive parts of a network. The Mediatrix 1102 connects up to two phones and/or faxes to an enterprise or carrier-based VoIP network through a 10/100 T-Base Ethernet port. For enterprise, residential and SOHO end-users, the Mediatrix 1102 provides a simple, transparent and cost-effective migration to an IP-based telephony infrastructure without the need to discard existing analog devices. Additionally, by providing IP connectivity to analog CO trunk ports of a PBX, or analog CO line ports of a Key System, the Mediatrix 1102 IP-enables legacy telephone systems and makes IP telephony applications available.

Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

Analog Adapters (ATAs)



Mediatrix-2102B

Mediatrix - 2 port access device, SIP protocol. G.723, G.729, G.711 IP Sharing and T38 Fax - With 911 FXO Backup port.
The Mediatrix® 2102 features voice prioritization over data and innovative IP technology to connect up to two residential phones or fax machines and a PC directly to a broadband modem - without the need for an external router. The Mediatrix 2102 VoIP access device is equipped with two FXS ports, a PSTN bypass port and two 10/100 T-Base Ethernet ports and is the ideal platform for service providers looking to deploy cost-effective residential IP telephony.
Your Price: Ask for Pricing

Hitachi-Cable Wireless IP-5000

Wireless SIP IP-Phone designed for business, healthcare or government applications . Its non-intrusive design, small size and light weight make it feel like a cell phone and its crystal clear sound will give wire line quality when roaming in your office or campus 802.11 b network. This high-end phone has vibrate mode, Message Waiting Indicator, can send and receive SIP IM (Instant Messages) and with a stand-by time of over two days and 4 hours plus talk time truly fulfills the need for mobility and reach ability in the workplace. This WiFi phone supports UPNP and outbound proxy as well as almost every SIP IPBX we tested with. (Allworx, Asterisk,Epygi, Shoreline, Zultis and many others Including Broad soft and other hosted IPBX Platforms.)
Accessories available
Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

Video Phones



InnoMedia IVP-5410

3G Mobile System Compatible The MTA 5410 is compatible with 3G networks and mobile videophones. Calls can be made between fixed line videophones and 3G mobile videophones, thus enabling face-to-face communications between homes, offices and mobile users on the road. Built-in NAT Router The built-in NAT Router enables the end user to share the same broadband link for both video telephony and internet access without increasing access charges for separate IP addresses. With a priority switch built-in, video telephony traffic is given preference to ensure smooth video conversation even when someone is using the same link for internet surfing. Support Firewall/Border Traversal Solution The MTA 5410 supports network based firewall and border traversal solutions offered by service providers, allowing telephony services to be deployed behind NAT/Firewall environments in enterprises. In addition, the MTA 5410 supports VLAN routing for better control of video, voice and data traffic. ICON Based Graphic User Interface The MTA 5410 is equipped with user-friendly menu architecture powered by an icon-based GUI system. The user can easily navigate and access the set of rich features available in the Video Phone.

Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

Video Phones



InnoMedia IVP-553

IP Videophone - Innomedia Videophone with 5" Screen. Innovative features such as an integrated WIFI client and PSTN connectivity contribute to removing the last hurdles in the way of mass deployment. A high-quality 5" LCD screen offers crisp images for video calls. All of this is featured in a very elegant-looking case. Built-in NAT Router enables the end user to share the same broadband link for both video telephony and internet access without increasing access charges for separate IP addresses. With a priority switch built-in, video telephony traffic is given preference to ensure smooth video conversation even when someone is using the same link for internet surfing. Support Firewall/Border Traversal Solution The MTA 5410 supports network based firewall and border traversal solutions offered by service providers, allowing telephony services to be deployed behind NAT/Firewall environments in enterprises. ICON Based Graphic User Interface The MTA 5410 is equipped with user-friendly menu architecture powered by an icon-based GUI system. The user can easily navigate and access the set of rich features available in the Videophone. 3G Mobile System Compatible. The MTA 5531 is compatible with 3G networks and mobile videophones. Calls can be made between fixed line videophones and 3G mobile videophones, thus enabling face-to-face communications between homes, offices and mobile users on the road.

Your Price: Ask for Pricing

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

Video Phones



InnoMedia Videophone 5410s

For more cost-conscious users, the MTA 5410 eschews all the fanciness of the 5531, without sacrificing any of the quality. You get the same high performance video calling capability without the extra cost of a WiFi and PSTN interface. A 4" LCD screen is featured in a sleek, streamlined case.

This 3rd generation of InnoMedia videophones inherited its predecessor features to continue the offer of real-time face-to-face video and voice call over a broadband IP/3G/PSTN network. It also comes with a sleek, slim 4" LCD screen panel and stylish casing design that produces a sophisticated look which enhances the product user friendliness.

Your Price: Ask for Pricing

Equipment also available for Hotels and Corporations.
Volume orders available

If you have any questions regarding orders contact us directly.

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna Your Voice around the world

Aianna

THE NEW ERA OF COMMUNICATIONS

Full Systems



Allworx 6X

It comes with 6 POTS line capability and 2 FXS ports for faxes and modems, built in 8 party conference bridge and Music on hold interface

Up to 30 IP Phone capacity meaning 30 users max whether they are IP or FXS. The DID capability is separate from that. DID access numbers but limited to 30 locations to send the DID call.

16 Simultaneous conversations meaning Intercom, Checking Voice Mail, accessing a pots line or a VoIP line

$ 1,400.00

Allworx 10X

It comes with 16 FXO/FXS ports expandable to 33 and are configurable to either an FXO or FXS

Up to 100 IP Phone capacity meaning 100 users max whether they are IP or FXS. The DID capability is separate from that. I don't think there is a limit on DID numbers but you would be limited to 100 locations to send the DID call.

33 Simultaneous conversations meaning Intercom, Checking Voice Mail, accessing a pots line or a VoIP line

$ 3450.00

OPTIONS

VOIP WAN Software for the 6x included in the 10x

$375.00

Phone 9102 $195.00

Phone 9112 $205.00

MCO Expansion Module there are 3 sizes 4, 8 and 24 port

$ Ask.

Allworx Call Assistant Software Optional on both –

6x $ 495.00

10x $ 750.00

Allworx Call Queuing Software Optional on Both

6x $ 495.00

10x $ 750.00

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna Your Voice around the world

Aianna

THE NEW ERA OF COMMUNICATIONS

Quadro Series



Quadro 2X

Complete IPBXs with Auto Attendant, Voice Mail, Call Forwarding, three way calling, unified messaging, voice and fax email forwarding and much more. 1FXO Ports for PSTN lines and 2 FXS Ports for Analog Phones. Connect up to two ordinary phones to it and assign one PBX trunk and several lines from a IP that your entire office can use the Quadro.

$ 586.00

Quadro have also various model, capacity will vary per mode.
Quadro 2X is the smallest of the Quadro series.
Ask for info if needed.

Quadro 2X and XI

Quadro 4X
Also available on FXO version

Quadro 16X and XI



Aianna Your Voice around the world

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna

THE NEW ERA OF COMMUNICATIONS

Various Linksys



Accessories

Want to make your wired phones wireless
WBP54G
Linksys Wireless Bridge for IP Phones. 802.11b/g 5V
$ 45.00

SPA-9000-16NA

IP PBX system with high-end features comparable to traditional large business voice services. Up to sixteen (16) SIP compatible IP Phones per SPA9000 system
Powerful self-configuration capabilities enabled with Linksys IP Phones
Works with most Internet Telephone Service Providers
$ 895.00

SPA-941-4L

Linksys 941 IP phone w 4 Lines
Ideal for Hosted VoIP and IP PBX Applications, the SPA941 IP telephone with all 4 lines activated. Each line can be independently configured with its own SIP account or shared across a single account. The SPA941 is a well featured phone with high resolution pixel based graphical display, full duplex speakerphone and headset port. Other Features: Interoperability with Asterisk and other SIP based platforms; Secure Calling via SRTP; Network Based Ring Tone Support; Call Transfer, DND, Conferencing, Call FWD, etc; SIP B and Bridged Line Appearance Support; Remote Provisioning via HTTPS, HTTP, TFTP. And a Wireless Dongle networking option WBP54G a very small WiFi 802.11g-to-Ethernet adaptor.RJ45 Single Ethernet Port
SIP, G711, G7295V Power supply included
$ 199.00

Aianna Corporation
11901 Santa Monica Blvd, Suite 503
Los Angeles, CA 90025
Toll Free: 1(888) 234-1868
Int'l: 1(310) 427-7287
France: 334-1368-0102
www.aianna.com

Aianna Your Voice around the world